

PATIENT ID THERMAL SOLUTIONS

Designed for Healthcare
to work as hard as you do



#1 Patient Safety Goal from The Joint Commission:

Improve the Accuracy of Patient Identification

Wrong-patient errors occur in nearly all stages of treatment and preventable medical errors are the 3rd leading cause of death in the US.¹

Every patient, procedure and provider rely upon effective identification. That's why PDC is passionate about developing leading patient ID solutions that help providers reduce errors, improve workflow and comply with The Joint Commission.

Why choose a thermal printing solution?

- Eliminate the need for toner or ink, which can be costly at high printing volumes
- Get crisper, longer lasting print performance to ensure readability and barcode scanability throughout a patient's stay
- Minimize the waste associated with laser printing half or partial sheets of wristbands
- Integrate printers with your admissions software to quickly print bands on demand
- Printers have a small footprint and are easy to move, making them ideal for nursing stations, patient rooms, admissions, mobile carts and more



A Full Patient ID Thermal Solution

Designed for Healthcare by the Patient ID Experts

PDC Patient ID Solutions allow providers to accurately match each patient to the correct medical record, medications, specimens and procedures at every stage of care with a single solution that includes wristbands, labels, barcode readers and printers.

- Seamless EMR integration with Epic, Cerner, MediTech and more
- Reliable performance validated by thousands of hours of testing to meet the 24/7 demands of Healthcare
- Industry's most competitive printer warranties at up to 3 years
- Product guarantees to ensure 100% customer satisfaction

Patient ID Solutions That Work as Hard as You Do

- + Direct Thermal Printers
- + Barcode Readers
- + Patient ID Wristbands
- + Medical Labels for Pharmacy, Lab, Admissions, Chart Labels and more



CERTIS® DESKTOP THERMAL PRINTERS

High Performance & Reliability

Enhance patient safety and clinical workflow.

PDC Certis® Desktop Thermal Printers offer easy integration, simple implementation and enable worry-free wristband and label printing to support your team's identification workflows.

Certis® C1-30 Worry-Free Wristband Printing

Designed for a jam-free printing experience

Hassle-free printing with simple drop-in wristband loading

Seamless integration into existing EHRs for easy implementation

Minimize IT involvement in both printer setup and maintenance with a dependable, user-friendly interface

Carefully crafted to meet the needs of IT teams with a modern Printer Utility App with innovative tools



SPECIFICATIONS	CERTIS® C1-30	
Part Number	C1-30E	C1-30W
Printing Method	Direct Thermal	
Print Resolution	300 dpi (12 dots/mm)	
Print Speed	3" (76 mm) per second	
Media Width	¾", 1", 1 ½" (19mm, 25.4 mm, 28.6 mm)	
Media Capacity	400 bands max (6" infant bands)	
Connectivity	Ethernet (10/100/1000 Mbps), USB 2.0, Bluetooth Low Energy 5.2 for printer management	Ethernet (10/100/1000 Mbps), USB 2.0, Bluetooth Low Energy 5.2 for printer management, Wi-Fi 2.4 GHz 802.11 b/g/n
Warranty	3 yrs with 1 year Hot Swap Included	

Certis® C1-30 Makes It Simple



Specially designed carrier enables easy drop-in loading and auto-calibration via Brady LabelSense

Wristband re-aligns to the start position after each print to ensure proper positioning

Industrial-grade printhead designed to last the life of the printer

User-friendly interface for simple troubleshooting

LED lights indicate the percentage of wristbands remaining

Wi-fi, Bluetooth & Ethernet connectivity options

Wipeable plastic designed to withstand a variety of disinfectants, chemicals and cleaning solutions

Small footprint to fit where you need it
(9.1"L x 4.4"W x 7.3"H)



CERTIS® DESKTOP THERMAL PRINTERS

Certis® B2

High Performance & Capacity

Save time with a high performance, high-capacity printer; print and scan with confidence — from admission to discharge

Versatile applications: patient ID wristbands, chart labels, medication labels, and more

Easy loading and open compatibility prevents jams

Compatible with leading EMRs including Epic, Cerner, Meditech, and others



SPECIFICATIONS	CERTIS® B2-20	CERTIS® B2-30
Part Number	PD-B2-20EA1000	PD-B2-30EA1000
Printing Method	Direct Thermal	
Print Resolution	203 dpi	300 dpi
Print Speed	Up to 5 ips	Up to 4 ips
Media Width	0.59" ~ 2.05"	
Media Capacity	6.5" outer diameter	
Connectivity	Ethernet and USB	
Warranty	3 years, plus 1 year overnight replacement included	
Recommended Core Diameter	1.0" or 1.5"	

Certis® B4

Versatile & Dependable

Reliable and robust printer backed by an industry-leading 3-year warranty

Supports a variety of healthcare print applications including Mother/Baby wristbands, chart labels, medication labels, and more

Compact, easy media loading design

Compatible with leading EMRs including Epic, Cerner, Meditech, and others

SPECIFICATIONS	CERTIS® B4-20	CERTIS® B4-30
Part Number	PD-B4-20EA1000 (Standard) or PD-B4-20WA1000 (Wireless)	PD-B4-30EA1000 (Standard) or PD-B4-30WA1000 (Wireless)
Printing Method	Direct Thermal	
Print Resolution	203 dpi	300 dpi
Print Speed	Up to 6 ips	Up to 4 ips
Media Width	0.7" ~ 4.5"	
Media Capacity	5.0" outer diameter	
Connectivity	Ethernet and USB, (Wi-Fi option)	
Warranty	3 years, plus 1 year overnight replacement included	
Recommended Core Diameter	1.0" or 1.5"	



PORTICO® MOBILE THERMAL PRINTERS

Advanced Point-of-Care Identification

PDC Portico® Mobile Thermal Printers provide point-of-care print-on-demand solutions in all environments. They can be used in a variety of departments and locations to ensure round-the-clock printing in an instant, including industry-leading PDC labels and wristband solutions.

Portico® M4

Robust, Wireless & Cart-Mountable

Compact design that can withstand the rigors and pace of any clinical environment

Larger capacity for full wristband, chart label, and specimen label printing needs

Compatible with leading EMRs including Epic, Cerner, Meditech, and others for easy integration into all hospital environments

Ideal print solution for Workstation on Wheels and other mobile cart applications

SPECIFICATIONS	PORTICO® M4
Part Number	PD-M4-20WA1000 (Wireless)
Printing Method	Direct Thermal
Print Resolution	203 dpi
Print Speed	4 ips
Media Width	2.0" - 4.4"
Media Capacity	2.65" outer diameter
Connectivity	USB or Wireless
Battery	5800 mAh - Lithium Ion
Drop Rating	5 ft
Warranty	1 year
Min. Core Diameter	0.5"

Accessories available:

1 bay charger, 4 bay charger, case with shoulder strap, cart mount, media spacers, spare battery





DIRECT THERMAL WRISTBANDS

Fast and cost-effective printing with crisp, accurate barcodes every time.

Help reduce waste and optimize efficiency with superior print performance and scanability.

ScanBand® Patient ID Wristband Carriers

Easy Drop-In Loading
into the Certis® C1-30

ScanBand® DR and ScanBand® Soft wristbands now come in a convenient wristband carrier for easy drop-in loading in the Certis® C1-30 Printers

Ultra-durable wristbands designed to last a patient's full stay — up to 16 days

Resistant to fading, moisture, alcohol, and hand sanitizer for top performance in the healthcare environment

ScanBand® DR

Optimal print performance and long-lasting durability

PART NUMBER	SIZE	COLOR	QUANTITY	DIMENSIONS
C7411-11-PDJ-X2	Adult	White	2 Rolls of 250 Bands	1" x 11"
C7411-11-PDJ-X6	Adult	White	6 Rolls of 250 Bands	1" x 11"
C7461-11-PDJ-X2	Adult	White	2 Rolls of 250 Bands	1 ½" x 11"
C7461-11-PDJ-X6	Adult	White	6 Rolls of 250 Bands	1 ½" x 11"
C7471-11-PDO-X2	Pediatric	White	2 Rolls of 350 Bands	1" x 7"
C7471-11-PDO-X6	Pediatric	White	6 Rolls of 350 Bands	1" x 7"
C7421-11-PDJ-X2	Adult/Pediatric	White	2 Rolls of 250 Bands	¾" x 11"
C7421-11-PDJ-X6	Adult/Pediatric	White	6 Rolls of 250 Bands	¾" x 11"
C7481-11-PDL-X2	Infant	White	2 Rolls of 400 Bands	1" x 6"
C7481-11-PDL-X6	Infant	White	6 Rolls of 400 Bands	1" x 6"
C7491-11-PDO-X2	Infant	White	2 Rolls of 350 Bands	¾" x 7"
C7491-11-PDO-X6	Infant	White	6 Rolls of 350 Bands	¾" x 7"

ScanBand® Soft

Optimal print performance and durability meet pillow-soft comfort

PART NUMBER	SIZE	COLOR	QUANTITY	DIMENSIONS
C7511-11-PDO-X2	Adult	White	2 Rolls of 220 Bands	1" x 11"
C7511-11-PDO-X6	Adult	White	6 Rolls of 220 Bands	1" x 11"
C7571-11-PDO-X2	Pediatric	White	2 Rolls of 350 Bands	1" x 7"
C7571-11-PDO-X6	Pediatric	White	6 Rolls of 350 Bands	1" x 7"
C7581-11-PDL-X2	Infant	White	2 Rolls of 400 Bands	1" x 6"
C7581-11-PDL-X6	Infant	White	6 Rolls of 400 Bands	1" x 6"

Easy Drop-In Wristband Carrier

Simply drop it into the printer to auto-calibrate the settings for efficient changeovers and mistake-proof loading



Brady LabelSense

Save time with automatic setup and calibration to minimize waste

Fewer Changeovers

More wristbands on each roll saves time with less refills

Wristband Visibility

Open-faced carrier design allows visibility to wristband usage and an easy fix if a material jam occurs

GPO Contracted

Contracted with Vizient, Premier and HealthTrust for member cost-savings

Supply Chain Resiliency

Firmware adjustments enable contingency plans in the event of supply chain disruptions



Recyclable Construction

Simply pop the chip out and recycle using your facility's existing plastic recycling program

Made with Less Plastic

Than competitive desktop wristband printer cartridges*



*Measured by weight for a carrier/cartridge for 1-inch wide wristbands, without wristbands

DIRECT THERMAL WRISTBANDS



ScanBand® DR Safety That Lasts

Long-lasting, ultra-durable thermal wristband

Advanced material engineered to deliver superior print performance, barcode scanability, and reliability

Quick and easy printing and application

Economical and efficient

Secure, quick-tab adhesive closure



ScanBand® DR Adult

PRODUCT NUMBER	SIZE OF WRISTBAND	CORE SIZE	WOUND	OUTER DIAMETER	WRISTBANDS PER BOX	COLORS: SUBSTITUTE ** FOR NUMBERED COLOR
7411C-**-PDO	1" x 1 1/2"	1.0"	Out	5.8"	2300/Roll, 6 Rolls	<input type="checkbox"/> White 11 <input type="checkbox"/> Green 15 <input type="checkbox"/> Blue 13 <input type="checkbox"/> Red 16 <input type="checkbox"/> Yellow 14 <input type="checkbox"/> Orange 17
7458-**-PDL	1 1/8" x 1 1/2"	1.5"	Out	4.9"	200/Roll, 2 Rolls	<input type="checkbox"/> White 11 <input type="checkbox"/> Green 15 <input type="checkbox"/> Blue 13 <input type="checkbox"/> Red 16 <input type="checkbox"/> Yellow 14 <input type="checkbox"/> Orange 17
7461-**-PDO	1 1/8" x 1 1/2"	1.5"	Out	4.8"	200/Roll, 6 Rolls	<input type="checkbox"/> White 11 <input type="checkbox"/> Green 15 <input type="checkbox"/> Blue 13 <input type="checkbox"/> Orange 17
7442-**-PDM	1 1/8" x 1 1/2"	1.5"	In	5.5"	250/Roll, 2 Rolls	<input type="checkbox"/> White 11 <input type="checkbox"/> Blue 13



ScanBand® DR Pediatric & Infant

PRODUCT NUMBER	SIZE OF WRISTBAND	CORE SIZE	WOUND	OUTER DIAMETER	WRISTBANDS PER BOX	COLORS: SUBSTITUTE ** FOR NUMBERED COLOR
7471-**-PDO	1" x 7"	1.0"	Out	4.6"	300/Roll, 6 Rolls	<input type="checkbox"/> White 11
7481-**-PDO	1" x 6"	1.0"	Out	4.6"	350/Roll, 6 Rolls	<input type="checkbox"/> White 11





ScanBand® Soft

Pillow Soft with Unbeatable Durability

Softest patient ID band in the market prevents skin cuts and is comfortable for even the most sensitive patients, from newborn to geriatric

Printed patient info lasts 30% longer compared to competitive bands to prevent ID errors

Increased wristband durability to last a patient's full stay

Economical and efficient with a secure, quick-tab adhesive closure



Clasp Closure Option



ScanBand® Soft Adult

PRODUCT NUMBER	CLOSURE TYPE	SIZE OF WRISTBAND	CORE SIZE	OUTER DIAMETER	WRISTBANDS PER BOX	COLORS: SUBSTITUTE ** FOR NUMBERED COLOR
7511C-**-PDO	Adhesive	1" x 11½"	1.0"	6.0"	250/Roll, 6 Rolls	<input type="checkbox"/> White 11 <input type="checkbox"/> Pink 12 <input type="checkbox"/> Blue 13 <input type="checkbox"/> Green 15
7541C-**-PDO	Adhesive	1½" x 11½"	1.0"	6.0"	250/Roll, 2 Rolls	
7546-**-PDK	Adhesive	1½" x 11½"	1.0"	4.5"	150/Roll, 2 Rolls	
7524-**-PDL	Adhesive	¾" x 11½"	1.5"	5.5"	200/Roll, 2 Rolls	
7910-**-PDL	Clasp	1½" x 10¾"	1.0"	5.0"	200/Roll, 2 Rolls	

More colors available upon request



ScanBand® Soft Infant & Pediatric

PRODUCT NUMBER	CLOSURE TYPE	SIZE OF WRISTBAND	CORE SIZE	OUTER DIAMETER	WRISTBANDS PER BOX	COLORS: SUBSTITUTE ** FOR NUMBERED COLOR
7571-**-PDM	Adhesive	Pediatric 1" x 7"	1.0"	4.5"	250/Roll, 2 Rolls	<input type="checkbox"/> White 11 <input type="checkbox"/> Pink 12 <input type="checkbox"/> Lt. Blue 18
7527-**-PDL	Adhesive	Infant ¾" x 7"	1.0"	4.1"	200/Roll, 2 Rolls	
7951-**-PDL	Clasp	Infant ¾" x 7"	1.0"	4.5"	200/Roll, 2 Rolls	

More colors available upon request



Ident-Alert®

Color-Coded Wraps

The average inpatient wears 3 wristbands which can interfere with IV access and cause discomfort. Ident-Alert Wraps consolidate multiple alerts onto one wristband.

Patent-pending wrap-around design and strong tamper-evident adhesive keeps alert securely in place

Compatible with all laser and thermal wristbands

Meets national standardization guidelines and are customizable



Ident-Alert® Wraps

PRODUCT NUMBER	DESCRIPTION	LABELS PER BOX	COLOR
8630A-16-PDJ	Allergy	250	Red
8630F-14-PDJ	Fall Risk	250	Yellow
8630LT-22-PDJ	No Latex	250	Kelly Green
8630L-12-PDJ	Limb Alert	250	Pink
8630D-33-PDJ	DNR	250	Purple

CODE® BARCODE SCANNERS

Healthcare Workflows at Light Speed

Code is chosen by more facilities than any other scanning solution. With many customization options, Code scanning is ideal for many healthcare workflows:

- Patient ID
- Pharmacy
- Admission
- Supply Chain
- Lab

MOBILE TRAILBLAZING

Code's soft-scanning solution CortexDecoder® started the EHR integration revolution and continues to lead mobile innovation. Your scanning solution can work seamlessly with your favorite EHR.

WORK FASTER & SAFER

Easily read any barcode used in healthcare with near-zero-miss accuracy

IP65 rating for demanding environments


Easily-swappable battery

Enterprise-grade soft-scanning mobile app integration

Epic, Cerner, Meditech, and Allscripts certified

Custom configurations available

CodeShield® disinfectant-ready plastics accommodate the strictest infection control protocols to protect your staff and patients





READY TO KEEP YOUR PATIENTS AND STAFF SAFE

Choose the level that fits your unique requirements. CodeShield® offers the broadest range of approved chemicals in the industry.

LEVEL 1	LEVEL 2	LEVEL 3
Clorox® Non-Bleach Disinfecting Wipes	All chemicals in Level 1	All chemicals in Levels 1 & 2
0.5% hydrogen peroxide solution	3% hydrogen peroxide solution	CaviWipes® Disinfecting Towelettes
Oxivir® Tb Wipes	Sani-Cloth® Plus Germicidal Wipes	Virex® 11 256 Disinfectant Cleaner
	91% Isopropyl Alcohol Solution	Cidex® OPA
	MetriCide® 28 Day Solution (2.5% glutaraldehyde)	Sani-Cloth® HB Germicidal Wipes
		Sani-Cloth® PDI AF3 Wipes
		Super Sani-Cloth® Wipes
		Windex® Original
		Windex® Multi-Surface Anti-Bacterial Spray
		Formula 409® Glass and Surface
		Hepacide Quat® II
		Dispatch® Wipes
		Bleach 10%*
		Clorox® Bleach Disinfecting Wipes*

*Only approved for use on CR2700



CR5000 SERIES

CR8200 OEM SCAN ENGINE

CR2700

CR7000 SERIES
CASE & BATTERY

CR1100

LABORATORY IDENTIFICATION SOLUTIONS

Safety. Efficiency. Compliance.

Increase patient safety and assure accuracy of identification at the point of care. Whether it's medication administration or specimen collection, PDC labels help hospitals utilize the latest barcode scanning and wireless mobility products for medical care. Labeling at the point of collection provides an immediate method of positive identification, increases accuracy of labeling specimens and containers, and can help reduce costs associated with re-testing. Compatible with all laboratory information systems to provide seamless integration and interoperability with Cerner, Meditech, Sunquest, and others.





Variety of laboratory labels compatible with all LIS

Full customization capabilities to meet all your laboratory needs


High-quality materials for enhanced durability and performance

Exclusive V-Notch™ Labels for quick, easy, and accurate identification of BD Vacutainer® Plus Plastic Tubes with a unique design to align with color-coded notch on tubes

Full offering of pre-printed communication labels and blood temperature indicators

Cerner


TD1-PN6-SL 1" Core
TD-PN6-SL 3" Core



TD1-PN115162A 1" Core
TD-PN115162A 3" Core

Meditech

LDWHP58 1" Core



LDWHP124 3" Core


Mobile Printer Label

LDQLP320 ¾" Core



Sunquest

TD1-SQ4-BD 1" Core
TD-SQ4-BD 3" Core



TD1-SQ4 1" Core
TD-SQ4 3" Core



BEFORE



AFTER

PHARMACY ID SOLUTIONS

Accurate Identification for Medication Administration Safety

Prevent medication errors and improve patient safety with PDC's full line of pharmacy medication labels. PDC offers thousands of different types of Pharmacy labels to meet all your pharmacy needs. Compatible with all pharmacy information systems and automated dispensing systems to provide seamless integration and interoperability with Cerner, Epic, MEDITECH, VA Hospital, and others.






Full customization capabilities to meet all your pharmacy needs

Medical grade materials to ensure high quality and durability

Full offering of pre-printed non-system labels

HIPAA Compliant Thermal Labels provide an easy way to protect patient privacy

General Pharmacy Labeling Solutions



HIPAA Compliant Labels




Cover Patient Data

IdentiHide® Labels: Apply to cover the patient information, making it impossible to read from both sides of the container.



Obscure Patient Data

Self-Shredding Labels: Peel off the top portion of this piggyback label to obscure patient information.



Remove Patient Data

Perforated Labels: These single-layer labels make it easy to remove patient data — great for reissuing IV bags.



PARTNER WITH THE IDENTIFICATION EXPERTS

With more than 65 years of experience, PDC is a trusted leader in identification and patient safety solutions. Over 90% of hospitals rely upon PDC products today, which help reduce medical errors, minimize risk, and improve workflow efficiency.

Learn more.
Visit pdchealthcare.com/printers



PDC 25124 Springfield Ct., Ste 200, Valencia, CA 91355
Tel 800 435 4242 | Fax 800 321 4409
info@pdchealthcare.com | pdchealthcare.com

